ORDER FOR SUPPLIES OR SERVICES

(Contractor must submit four copies of invoice.)

Form Approved OMB No. 0704-0187 Expires Jun 30, 1997 PAGE 1 OF

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0187), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES. SEND YOUR COMPLETED FORM TO THE PROCUREMENT OFFICIAL IDENTIFIED IN ITEM 6. 3 DATE OF ORDER (YYMMMDD) 4. REQUISITION/PURCH REQUEST NO. 5. PRIORITY 1. CONTRACT/PURCH ORDER NO. 2. DELIVERY ORDER NO. YPC04043000551 SP0750-03-D-7832 0003 2004 MAR 22 DOA4 CODE 6. ISSUED BY CODE ADMINISTERED BY (If other than 6) SP0700 S2305A 8. DELIVERY FOB DCMA DETROIT Defense Supply Center Columbus 3990 E.Broad St. US ARMY TANK & AUTOMOTIVE COMMAND-T ATTN: DCMAE-GJD DEST P.O. Box 16704 Columbus, OH 43216-5010 WARREN MI 48397-5000 OTHER Local Administrator: PLLXCBF (614)692-1278 / FAX: (614)693-1574 E-mail: Julie.Brill@dla.mil CRITICALITY: C (See Schedule if other) FACILITY CODE II. MARK IF BUSINESS 9. CONTRACTOR CODE 4M107 10. DELIVER TO FOB POINT BY(Date) 135 DAYS ADO \mathbf{X} SMALL 12. DISCOUNT TERMS SMALL DISAD-VANTAGED GREENE METAL PRODUCTS, INC. NAME AND ADDRESS 24500 CAPITAL BLVD. CLINTON TOWNSHIP MI 48036-1348 NET 30 days WOMEN-OWNED 13. MAIL INVOICES TO See Block 15 15. PAYMENT WILL BE MADE BY S33181 14. SHIP TO CODE CODE MARK ALL ATTN DFAS CO BVDPCC/CC CONSTRUCTIO 3990 E BROAD ST PO BOX 182317 COLUMBUS OH 43218-6203 See Schedule - Do Not Ship to Address in Block 6 PACKAGES AND PAPERS WITH CONTRACT OR ORDER NUMBER This delivery order is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract. DELIVERY \mathbf{X} 16 TYPE offer dated 2004 MAR 17, BASIC IQC SP0750-03-D-7832 and furnish the following on terms specified herein. ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME. PURCHASE ORDE DATE SIGNED SIGNATURE TYPED NAME AND TITLE NAME OF CONTRACTOR (YYMMMDD) If this box is marked, supplier must sign Acceptance and return the following number of copies 17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE CG: 97X4930 5CC0 001 26.0 S33150 QUANTITY ORDERED/ ACCEPTED* 19. 21. UNIT LINIT PRICE AMOUNT SCHEDULE OF SUPPLIES/SERVICE ITEM NO. Remarks: CONFIRMING ORDER -- DO NOT DUPLICATE ACCELERATED DELIVERY IS ACCEPTABLE AND DESIRED AT NO COST TO THE GOVERNMENT. TOTAL: 7140.00 24. UNITED STATES OF AMERICA If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle. 25. TOTAL 29 BY-CONTRACTING/ORDERING OFFICER DIFFERENCE 28. D.O. VOUCHER NO. 26. QUANTITY IN COLUMN 20 HAS BEEN 30 ACCEPTED, AND CONFORM CONTRACT EXCEPT AS NOT INSPECTED RECEIVED ontracting Difference 33. AMOUNT VERIFIED CORRECT FOR FINAL 34. CHECK NUMBER SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE 31 PAYMENT DATE 36. I certify this account is correct and proper for payment COMPLETE 35. BILL OF LADING NO. PARTIAL SIGNATURE AND TITLE OF CERTIFYING OFFICER FINAL 40.TOTAL CONTAINERS 41. S/R ACCOUNT NUMBER 42 S/R VOUCHER NO 37.RECEIVED AT | 38. RECEIVED BY (Print) 39. DATE RECEIVED (YYMMMDD)

CONTINUATION SHEET

SECTION B

PR YPC04043000551 NSN 1010-01-281-2474

ITEM DESCRIPTION:

COVER, SIGHT. STEEL AND ARMOR PLATE STEEL.

IF AQLS ARE LISTED IN THE SPECIFICATION(S) OR DRAWING(S) THEY MAY BE USED TO ESTABLISH THE AUTHORIZED SAMPLE SIZE, HOWEVER, THE ACCEPTANCE NUMBER FOR THIS CONTRACT IS ZERO; I.E., THIS CONTRACT REQUIRES A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS AND REJECTS ON ONE OR MORE DEFECT(S).

"CLASS I OZONE DEPLETING CHEMICALS ARE NOT TO BE USED NOR INCORPORATED IN ANY ITEMS TO BE DELIVERED UNDER THIS CONTRACT. THIS PROHIBITION SUPERSEDES ALL SPECIFICATION REQUIREMENTS BUT DOES NOT ALLEVIATE ANY PRODUCT REQUIREMENTS. SUBSTITUTE CHEMICALS MUST BE SUBMITTED FOR APPROVAL UNLESS THEY ARE AUTHORIZED BY THE SPECIFICATION REQUIREMENTS."

DRAWING CITED IS SUBJECT TO EXPORT-CONTROL REGULATIONS AND DISTRIBUTION IS LIMITED TO THOSE CONTRACTORS QUALIFIED TO RECEIVE RESTRICTED DRAWINGS AS LISTED ON THE CERTIFIED CONTRACTORS ACCESS LIST (CCAL).

APPLICATION MUST BE MADE ON DD FORM 2345,
"MILITARY CRITICAL TECHNICAL DATA AGREEMENT".
COPIES OF THIS FORM ARE AVAILABLE AT THE WORLD
WIDE WEB ADDRESS HTTP://WWW.DLIS.DLA.MIL/JCP
OR BY WRITING TO:

UNITED STATES/CANADA JOINT CERTIFICATION OFFICE DEFENSE LOGISITICS INFORMATION SERVICE FEDERAL CENTER
74 WASHINGTON AVE, NORTH
BATTLE CREEK, MI 49017-3084

CONTRACTS WILL BE AWARDED ONLY TO THOSE CONTRACTORS APPEARING ON THE CCAL PRIOR TO AN AWARD.

DLAD CLAUSE 52.246-9004, PRODUCT VERIFICATION TESTING, IS HEREBY INCORPORATED, AND MAY BE INVOKED AT THE DISCRETION OF THE PROCUREMENT ACTIVITY.

CONTINUED ON NEXT PAGE

SECTION B

I/A/W DRAWING NR OMLM6 6289550
BASIC DTD 87 AUG 01
AMEND NR D DTD 92 MAY 12
TYPE NUMBER:
"DETAILED DRAWING (ONE ITEM)"

I/A/W DRAWING NR 80064 2584542
REFNO DTD 88 MAR 18
AMEND NR T DTD 01 AUG 28
TYPE NUMBER:
SPECIFICATION

<u>ITEM PR PRLI QUANTITY UNIT UNIT PRICE AMOUNT</u>

0001 YPC04043000551 0001 21 EA \$340.00000 \$7140.00

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999

QUP = 001: PRES MTHD = 10: CLNG/DRY = 1: PRESV MAT = 00:
WRAP MAT = 00: CUSH/DUNN MAT = 00: CUSH/DUNN THKNESS = 0:
UNIT CONT = A1: OPI = 0:
INTRMDTE CONT = 10: INTRMDTE CONT QTY = AAA:
PACK CODE = U:
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.
SPECIAL MARKING CODE: 00 - NO SPECIAL MARKING.
PALLETIZATION SHALL BE IN ACCORDANCE WITH DC1636P001 REV E
DATED 3029

For all shipments of packaged materiel to the government, which includes either depot (DLAdirect) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002, as amended by Change Notice 1, dated January 15, 2004. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet additional

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

SP0750-03-D-7832-0003

SECTION B

linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2004 AUG 04

PARCEL POST/FREIGHT ADDRESS:

SW3122
DEF DIST DEPOT JACKSONVILLE
BLDG 175 SWAN ROAD
NAS JACKSONVILLE FL 32212-0103

NON-MILSTRIP PROJ

REMIT PAYMENT TO:

PALLETIZATION NO. QC1636P001 96150

- 1. SCOPE. This sheet covers the requirements for palletization of DSCC items or supply for handling, shipment, and storage.
- 2. REFERENCED DOCUMENTS. The following documents, of the issue in effect on the date of solicitation, form a part of this palletization sheet to the extent specified herein:

Specifications

FEDERAL

NN-P-71 Pallets, Material Handling, Wood Stringer Construction, 2-way and 4-way (Partial)

Standards

MILITARY

MIL-STD-147 Palletized Unit Load

(Copies of listed federal and military specifications, standards, and associated documents listed in the Department of Defense Index of Specifications and Standards (DODISS) should be obtained from DoD Single Stock Point, Commanding Officer, Naval Publications and Forms (Center, 5801 Tabor Ave., Philadelphia, PA 19120-5099).

3. REQUIREMENTS.

Shipments of identical items packed in four or more shipping containers exceeding a total of 48 cubic feet per destination shall be palletized except when shipping containers are required to be skidded (see 3c) or a quantity of four shipping containers pallet exceeds the size or weight limitations for palletized loads (see 3a and 3b, as applicable). Shipments packed Level A or Level B shall be palletized in accordance with 3b.

- a. Material may be palletized on commercial pallets provided the load meets the following requirements:
- (1) The load does not exceed 52 inches in length or width, 54 inches in height, and 3,000 pounds.
- (2) The load is prepared and secured in a manner that will ensure carrier acceptance and permit safe rehandling at destination.
- b. Palletization shall comply with MIL-STD-147 and appendices there to modified as follows:
- (1) Loads shall be stable and shall not exceed the size and overseas limitations of MIL-STD-147.
- (2) Glued loads shall not be used.
- (3) For Level A packing, pallets shall comply with NN-P-71, Type V, class 1, size 2, except softwood may be used and the size may be reduced to a minimum of 36 inches in length and 44 inches in width to properly fit the load.
- (4) For Level B packing, pallets shall conform to NN-P-71, Type II, size 2, Type IV, or Type V, class 1, size 2. Wood used to construct pallets shall be group II, III, or IV, grade A, as specified in NN-P-71.
- (5) Residual quantities of less than the quantity required for one course of the load need not be palletized.
- c. Palletization is not required for shipping containers that are constructed with skids. Shipping containers, except drums, exceeding 70 pounds gross weight or 40 inches in length, shall be constructed with skids. Skids shall be a minimum of 3x4 inch (nominal) lumber and shall be securely attached to permit multiple re-handling at destination. Drums shall be palletized.

Prepared by: DSCC Columbus, OH 43216-5000 June 3, 1996